



## Coastal<sup>®</sup> Synthetic 2-Cycle Engine Oil

**Coastal Synthetic 2-Cycle Engine Oil** is formulated with highly refined synthetic base oils and a sophisticated additive system. It is designed to protect today's longer running engines that operate under severe conditions. **Coastal Synthetic Two-Cycle Engine Oil** exceeds the most stringent current specifications including JASO FD, API TC, as well as ISO-L-EGD. **Coastal Synthetic 2-Cycle Engine Oil** provides significantly reduced smoke, improved lubricity, enhanced detergency, and decreased exhaust port deposits. For use in all two-stroke air cooled engines, with unleaded fuel. Meets all manufacturers' requirements for ratios up to 50:1. Formulated with a fuel stabilizer, for longer shelf life after mixing with gasoline.

### Fuel Mixing Table

Ratio Gas to Oil	1 Gal. oz.	2 Gal. oz.	3 Gal. oz.	4 Gal. oz.	5 Gal. oz.
16:1	8	16	24	32	40
32:1	4	8	12	16	20
40:1	3.2	6.4	9.6	12.8	16
50:1	2.6	5.1	7.7	10.2	12.8



**Warren Oil Company, Inc**

Dunn, NC 28334: Benton, AL 36758: San Antonio, TX 78210:  
Marion, IL 62959: Johnstown, PA 15909: West Memphis, AR 72301



## Coastal<sup>®</sup> Synthetic 2-Cycle Engine Oil

---

### Typical Characteristics

Viscosity	
@40 °C, cSt	42.0
@100 °C, cSt	7.5
Viscosity Index	135
Color	Dark Green/Blue
Pour Point °F	-39°F
API Gravity	32.0
Density – pounds/gallon	7.20
Typical Flash Point	210°F



**Warren Oil Company, Inc**

Dunn, NC 28334: Benton, AL 36758: San Antonio, TX 78210:  
Marion, IL 62959: Johnstown, PA 15909: West Memphis, AR 72301